

CDL / CDLF

Model & performance table



CNP-S-000004

Scan to open this online



Light vertical multistage centrifugal pumps, CDL / CDLF

Models (478)

Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL1-2 (50)	0.37	2900	0.4 - 2	13 - 9	23
CDL1-3 (50)	0.37	2900	0.4 - 2	19 - 12	23
CDL1-4 (50)	0.37	2900	0.4 - 2	24 - 16	24
CDL1-5 (50)	0.37	2900	0.4 - 2	30 - 20	24
CDL1-6 (50)	0.37	2900	0.4 - 2	36 - 23	25
CDL1-7 (50)	0.37	2900	0.4 - 2	42 - 27	25
CDL1-8 (50)	0.55	2900	0.4 - 2	48 - 30	28
CDL1-9 (50)	0.55	2900	0.4 - 2	54 - 33	28
CDL1-10 (50)	0.55	2900	0.4 - 2	60 - 36	29
CDL1-11 (50)	0.55	2900	0.4 - 2	66 - 40	30
CDL1-12 (50)	0.75	2900	0.4 - 2	72 - 44	33
CDL1-13 (50)	0.75	2900	0.4 - 2	78 - 47	34
CDL1-15 (50)	0.75	2900	0.4 - 2	89 - 55	35
CDL1-17 (50)	1.1	2900	0.4 - 2	101 - 62	36
CDL1-19 (50)	1.1	2900	0.4 - 2	113 - 69	37
CDL1-21 (50)	1.1	2900	0.4 - 2	124 - 75	38
CDL1-23 (50)	1.1	2900	0.4 - 2	137 - 82	38
CDL1-25 (50)	1.5	2900	0.4 - 2	149 - 89	44
CDL1-27 (50)	1.5	2900	0.4 - 2	161 - 95	45
CDL1-30 (50)	1.5	2900	0.4 - 2	178 - 106	46
CDL1-33 (50)	2.2	2900	0.4 - 2	196 - 118	48
CDL1-36 (50)	2.2	2900	0.4 - 2	214 - 130	49
CDL2-2 (50)	0.37	2900	1 - 3.5	18 - 8	24
CDL2-3 (50)	0.37	2900	1 - 3.5	27 - 12	24
CDL2-4 (50)	0.55	2900	1 - 3.5	36 - 16	25
CDL2-5 (50)	0.55	2900	1 - 3.5	45 - 20	26
CDL2-6 (50)	0.75	2900	1 - 3.5	53 - 24	30
CDL2-7 (50)	0.75	2900	1 - 3.5	63 - 28	30
CDL2-9 (50)	1.1	2900	1 - 3.5	80 - 37	33
CDL2-11 (50)	1.1	2900	1 - 3.5	98 - 44	34
CDL2-13 (50)	1.5	2900	1 - 3.5	116 - 52	40
CDL2-15 (50)	1.5	2900	1 - 3.5	134 - 60	42



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL2-18 (50)	2.2	2900	1 - 3.5	161 - 76	46
CDL2-22 (50)	2.2	2900	1 - 3.5	197 - 90	47
CDL2-26 (50)	3	2900	1 - 3.5	232 - 110	53
CDL3-2 (50)	0.37	2900	1.2 - 4	12.5 - 6	23
CDL3-3 (50)	0.37	2900	1.2 - 4	19 - 9	23
CDL3-4 (50)	0.37	2900	1.2 - 4	25 - 12	24
CDL3-5 (50)	0.37	2900	1.2 - 4	31 - 16	24
CDL3-6 (50)	0.55	2900	1.2 - 4	36 - 19	25
CDL3-7 (50)	0.55	2900	1.2 - 4	43 - 22	26
CDL3-8 (50)	0.75	2900	1.2 - 4	49 - 25	30
CDL3-9 (50)	0.75	2900	1.2 - 4	55 - 28	31
CDL3-10 (50)	0.75	2900	1.2 - 4	61 - 31	32
CDL3-11 (50)	1.1	2900	1.2 - 4	67 - 34	32
CDL3-12 (50)	1.1	2900	1.2 - 4	73 - 37	33
CDL3-13 (50)	1.1	2900	1.2 - 4	78 - 40	34
CDL3-15 (50)	1.1	2900	1.2 - 4	90 - 46	35
CDL3-17 (50)	1.5	2900	1.2 - 4	103 - 52	41
CDL3-19 (50)	1.5	2900	1.2 - 4	115 - 58	42
CDL3-21 (50)	2.2	2900	1.2 - 4	128 - 64	45
CDL3-23 (50)	2.2	2900	1.2 - 4	140 - 70	46
CDL3-25 (50)	2.2	2900	1.2 - 4	151 - 76	47
CDL3-27 (50)	2.2	2900	1.2 - 4	164 - 82	48
CDL3-29 (50)	2.2	2900	1.2 - 4	175 - 88	49
CDL3-31 (50)	3	2900	1.2 - 4	187 - 94	57
CDL3-33 (50)	3	2900	1.2 - 4	199 - 100	58
CDL3-36 (50)	3	2900	1.2 - 4	218 - 109	60
CDL4-2 (50)	0.37	2900	1.5 - 7	19 - 8	22
CDL4-3 (50)	0.55	2900	1.5 - 7	28 - 13	24
CDL4-4 (50)	0.75	2900	1.5 - 7	38 - 19	30
CDL4-5 (50)	1.1	2900	1.5 - 7	47 - 23	32
CDL4-6 (50)	1.1	2900	1.5 - 7	56 - 28	33
CDL4-7 (50)	1.5	2900	1.5 - 7	66 - 33	39
CDL4-8 (50)	1.5	2900	1.5 - 7	74 - 38	40
CDL4-10 (50)	2.2	2900	1.5 - 7	96 - 48	43
CDL4-12 (50)	2.2	2900	1.5 - 7	114 - 58	44
CDL4-14 (50)	3	2900	1.5 - 7	136 - 68	52
CDL4-16 (50)	3	2900	1.5 - 7	152 - 78	54
CDL4-19 (50)	4	2900	1.5 - 7	183 - 93	56
CDL4-22 (50)	4	2900	1.5 - 7	211 - 108	59
CDL8-2/1 (50)	0.75	2900	5 - 12	10 - 6	33
CDL8-2 (50)	0.75	2900	5 - 12	20 - 13	33



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL8-3 (50)	1.1	2900	5 - 12	30 - 19	35
CDL8-4 (50)	1.5	2900	5 - 12	41 - 26	42
CDL8-5 (50)	2.2	2900	5 - 12	52 - 32	46
CDL8-6 (50)	2.2	2900	5 - 12	62 - 39	47
CDL8-8 (50)	3	2900	5 - 12	83 - 52	55
CDL8-10 (50)	4	2900	5 - 12	104 - 65	67
CDL8-12 (50)	4	2900	5 - 12	124 - 78	70
CDL8-14 (50)	5.5	2900	5 - 12	145 - 92	85
CDL8-16 (50)	5.5	2900	5 - 12	166 - 106	88
CDL8-18 (50)	7.5	2900	5 - 12	187 - 120	98
CDL8-20 (50)	7.5	2900	5 - 12	208 - 135	99
CDL10-1 (50)	0.75	2900	5 - 13	9.7 - 4	40
CDL10-2 (50)	0.75	2900	5 - 13	19.5 - 10	41
CDL10-3 (50)	1.1	2900	5 - 13	29.5 - 16	43
CDL10-4 (50)	1.5	2900	5 - 13	39.5 - 22	49
CDL10-5 (50)	2.2	2900	5 - 13	49.5 - 28	53
CDL10-6 (50)	2.2	2900	5 - 13	60 - 34	54
CDL10-7 (50)	3	2900	5 - 13	70 - 39	64
CDL10-8 (50)	3	2900	5 - 13	80 - 44	65
CDL10-9 (50)	3	2900	5 - 13	90 - 50	66
CDL10-10 (50)	4	2900	5 - 13	100 - 56	74
CDL10-12 (50)	4	2900	5 - 13	120 - 68	76
CDL10-14 (50)	5.5	2900	5 - 13	140 - 79	100
CDL10-16 (50)	5.5	2900	5 - 13	160 - 91	102
CDL10-18 (50)	7.5	2900	5 - 13	180 - 102	107
CDL10-20 (50)	7.5	2900	5 - 13	200 - 114	109
CDL10-22 (50)	7.5	2900	5 - 13	220 - 126	111
CDL12-2 (50)	1.5	2900	7 - 16	23.5 - 14	40
CDL12-3 (50)	2.2	2900	7 - 16	35.5 - 21	45
CDL12-4 (50)	3	2900	7 - 16	47 - 28	55
CDL12-5 (50)	3	2900	7 - 16	59.5 - 35	57
CDL12-6 (50)	4	2900	7 - 16	71.5 - 42	66
CDL12-7 (50)	5.5	2900	7 - 16	83.5 - 49	77
CDL12-8 (50)	5.5	2900	7 - 16	95.5 - 56	78
CDL12-9 (50)	5.5	2900	7 - 16	108 - 64	80
CDL12-10 (50)	7.5	2900	7 - 16	120 - 72	88
CDL12-12 (50)	7.5	2900	7 - 16	143.5 - 86	92
CDL12-14 (50)	11	2900	7 - 16	168 - 100	162
CDL12-16 (50)	11	2900	7 - 16	192.5 - 115	167
CDL12-18 (50)	11	2900	7 - 16	217 - 130	168
CDL15-1 (50)	1.1	2900	8 - 22	12 - 6.5	33



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL15-2 (50)	2.2	2900	8 - 22	25 - 16	42
CDL15-3 (50)	3	2900	8 - 22	39 - 25	51
CDL15-4 (50)	4	2900	8 - 22	52 - 33	60
CDL15-5 (50)	4	2900	8 - 22	65 - 42	62
CDL15-6 (50)	5.5	2900	8 - 22	78 - 51	78
CDL15-7 (50)	5.5	2900	8 - 22	92 - 60	80
CDL15-8 (50)	7.5	2900	8 - 22	106 - 69	86
CDL15-9 (50)	7.5	2900	8 - 22	120 - 79	88
CDL15-10 (50)	11	2900	8 - 22	133 - 88	166
CDL15-12 (50)	11	2900	8 - 22	160 - 106	170
CDL15-14 (50)	11	2900	8 - 22	187 - 124	173
CDL15-17 (50)	15	2900	8 - 22	227 - 151	186
CDL20-1 (50)	1.1	2900	10 - 28	13.5 - 6	33
CDL20-2 (50)	2.2	2900	10 - 28	27 - 15	42
CDL20-3 (50)	4	2900	10 - 28	40 - 24	58
CDL20-4 (50)	5.5	2900	10 - 28	54 - 33	74
CDL20-5 (50)	5.5	2900	10 - 28	67 - 40	75
CDL20-6 (50)	7.5	2900	10 - 28	81 - 49	84
CDL20-7 (50)	7.5	2900	10 - 28	95 - 58	86
CDL20-8 (50)	11	2900	10 - 28	109 - 67	157
CDL20-10 (50)	11	2900	10 - 28	136 - 85	162
CDL20-12 (50)	15	2900	10 - 28	164 - 102	176
CDL20-14 (50)	15	2900	10 - 28	192 - 119	178
CDL20-17 (50)	18.5	2900	10 - 28	234 - 145	201
CDL32-10-1 (50)	1.5	2900	16 - 40	14 - 4	63
CDL32-10 (50)	2.2	2900	16 - 40	18 - 8	67
CDL32-20-2 (50)	3	2900	16 - 40	29 - 11	76
CDL32-20 (50)	4	2900	16 - 40	36 - 18	84
CDL32-30-2 (50)	5.5	2900	16 - 40	47 - 21	99
CDL32-30 (50)	5.5	2900	16 - 40	54 - 27	99
CDL32-40-2 (50)	7.5	2900	16 - 40	65 - 30	108
CDL32-40 (50)	7.5	2900	16 - 40	72 - 37	108
CDL32-50-2 (50)	11	2900	16 - 40	83 - 41	187
CDL32-50 (50)	11	2900	16 - 40	90 - 47	187
CDL32-60-2 (50)	11	2900	16 - 40	101 - 51	193
CDL32-60 (50)	11	2900	16 - 40	108 - 57	193
CDL32-70-2 (50)	15	2900	16 - 40	119 - 60	205
CDL32-70 (50)	15	2900	16 - 40	126 - 67	205
CDL32-80-2 (50)	15	2900	16 - 40	136 - 71	207
CDL32-80 (50)	15	2900	16 - 40	144 - 77	207
CDL32-90-2 (50)	18.5	2900	16 - 40	154 - 82	226



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL32-90 (50)	18.5	2900	16 - 40	162 - 88	226
CDL32-100-2 (50)	18.5	2900	16 - 40	175 - 91	232
CDL32-100 (50)	18.5	2900	16 - 40	182 - 98	232
CDL32-110-2 (50)	22	2900	16 - 40	193 - 102	278
CDL32-110 (50)	22	2900	16 - 40	200 - 109	278
CDL32-120-2 (50)	22	2900	16 - 40	211 - 113	282
CDL32-120 (50)	22	2900	16 - 40	218 - 120	282
CDL32-130-2 (50)	30	2900	16 - 40	230 - 124	343
CDL32-130 (50)	30	2900	16 - 40	237 - 131	343
CDL32-140-2 (50)	30	2900	16 - 40	247 - 135	347
CDL32-140 (50)	30	2900	16 - 40	255 - 142	347
CDL32-150-2 (50)	30	2900	16 - 40	266 - 145	350
CDL32-150 (50)	30	2900	16 - 40	274 - 152	350
CDL32-160-2 (50)	30	2900	16 - 40	284 - 156	356
CDL32-160 (50)	30	2900	16 - 40	292 - 163	356
CDL42-10-1 (50)	3	2900	25 - 55	20 - 11	84
CDL42-10 (50)	4	2900	25 - 55	24 - 16	91
CDL42-20-2 (50)	5.5	2900	25 - 55	40 - 23	106
CDL42-20 (50)	7.5	2900	25 - 55	48 - 31	111
CDL42-30-2 (50)	11	2900	25 - 55	63 - 38	187
CDL42-30 (50)	11	2900	25 - 55	71 - 47	187
CDL42-40-2 (50)	15	2900	25 - 55	87 - 54	203
CDL42-40 (50)	15	2900	25 - 55	95 - 62	203
CDL42-50-2 (50)	18.5	2900	25 - 55	111 - 69	225
CDL42-50 (50)	18.5	2900	25 - 55	119 - 78	225
CDL42-60-2 (50)	22	2900	25 - 55	135 - 85	266
CDL42-60 (50)	22	2900	25 - 55	143 - 93	266
CDL42-70-2 (50)	30	2900	25 - 55	158 - 100	326
CDL42-70 (50)	30	2900	25 - 55	166 - 109	326
CDL42-80-2 (50)	30	2900	25 - 55	182 - 116	330
CDL42-80 (50)	30	2900	25 - 55	190 - 124	330
CDL42-90-2 (50)	30	2900	25 - 55	205 - 132	334
CDL42-90 (50)	37	2900	25 - 55	214 - 140	334
CDL42-100-2 (50)	37	2900	25 - 55	230 - 147	360
CDL42-100 (50)	37	2900	25 - 55	238 - 155	360
CDL42-110-2 (50)	45	2900	25 - 55	255 - 165	430
CDL42-110 (50)	45	2900	25 - 55	263 - 173	430
CDL42-120-2 (50)	45	2900	25 - 55	280 - 181	438
CDL42-120 (50)	45	2900	25 - 55	289 - 190	438
CDL42-130-2 (50)	45	2900	25 - 55	305 - 198	444
CDL65-10-1 (50)	4	2900	30 - 80	19 - 8	98



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL65-10 (50)	5.5	2900	30 - 80	27 - 15	110
CDL65-20-2 (50)	7.5	2900	30 - 80	39 - 17	115
CDL65-20-1 (50)	11	2900	30 - 80	46 - 24	197
CDL65-20 (50)	11	2900	30 - 80	53 - 30	197
CDL65-30-2 (50)	15	2900	30 - 80	66 - 32	206
CDL65-30-1 (50)	15	2900	30 - 80	73 - 39	207
CDL65-30 (50)	18.5	2900	30 - 80	80 - 46	232
CDL65-40-2 (50)	18.5	2900	30 - 80	92 - 47	239
CDL65-40-1 (50)	22	2900	30 - 80	100 - 54	272
CDL65-40 (50)	22	2900	30 - 80	107 - 61	272
CDL65-50-2 (50)	30	2900	30 - 80	121 - 64	334
CDL65-50-1 (50)	30	2900	30 - 80	128 - 71	334
CDL65-50 (50)	30	2900	30 - 80	136 - 78	335
CDL65-60-2 (50)	30	2900	30 - 80	150 - 81	340
CDL65-60-1 (50)	37	2900	30 - 80	157 - 88	365
CDL65-60 (50)	37	2900	30 - 80	164 - 95	365
CDL65-70-2 (50)	37	2900	30 - 80	179 - 99	370
CDL65-70-1 (50)	37	2900	30 - 80	186 - 106	370
CDL65-70 (50)	45	2900	30 - 80	193 - 112	437
CDL65-80-2 (50)	45	2900	30 - 80	207 - 116	440
CDL65-80-1 (50)	45	2900	30 - 80	215 - 123	440
CDL85-10-1 (50)	5.5	2900	50 - 110	22 - 6	109
CDL85-10 (50)	7.5	2900	50 - 110	25 - 12	115
CDL85-20-2 (50)	11	2900	50 - 110	41 - 15	185
CDL85-20 (50)	15	2900	50 - 110	53 - 30	202
CDL85-30-2 (50)	18.5	2900	50 - 110	68 - 32	225
CDL85-30 (50)	22	2900	50 - 110	81 - 48	268
CDL85-40-2 (50)	30	2900	50 - 110	98 - 50	328
CDL85-40 (50)	30	2900	50 - 110	110 - 66	328
CDL85-50-2 (50)	37	2900	50 - 110	126 - 68	351
CDL85-50 (50)	37	2900	50 - 110	139 - 83	351
CDL85-60-2 (50)	45	2900	50 - 110	155 - 86	428
CDL85-60 (50)	45	2900	50 - 110	168 - 103	428
CDL120-10 (50)	11	2900	60 - 150	22 - 15	226
CDL120-20-2 (50)	15	2900	60 - 150	34 - 24	250
CDL120-20-1 (50)	18.5	2900	60 - 150	41 - 27.5	263
CDL120-20 (50)	22	2900	60 - 150	46 - 33.5	310
CDL120-30-2 (50)	30	2900	60 - 150	57 - 41	375
CDL120-30-1 (50)	30	2900	60 - 150	64 - 46	375
CDL120-30 (50)	30	2900	60 - 150	69.5 - 51	375
CDL120-40-2 (50)	37	2900	60 - 150	80.5 - 58	405



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL120-40-1 (50)	37	2900	60 - 150	87 - 64.5	405
CDL120-40 (50)	45	2900	60 - 150	92.5 - 68.5	501
CDL120-50-2 (50)	45	2900	60 - 150	104.5 - 75.5	509
CDL120-50-1 (50)	45	2900	60 - 150	110.5 - 83	509
CDL120-50 (50)	55	2900	60 - 150	115.5 - 86	632
CDL120-60-2 (50)	55	2900	60 - 150	128 - 92.5	641
CDL120-60-1 (50)	55	2900	60 - 150	134 - 100	641
CDL120-60 (50)	75	2900	60 - 150	139 - 104	757
CDL120-70-2 (50)	75	2900	60 - 150	151 - 109	766
CDL120-70-1 (50)	75	2900	60 - 150	156.5 - 116.5	766
CDL120-70 (50)	75	2900	60 - 150	162.5 - 123	766
CDL150-10-1 (50)	11	2900	80 - 180	18.3 - 8.5	227
CDL150-10 (50)	15	2900	80 - 180	24 - 15	240
CDL150-20-2 (50)	18.5	2900	80 - 180	37 - 21	263
CDL150-20-1 (50)	22	2900	80 - 180	44.3 - 27	311
CDL150-20 (50)	30	2900	80 - 180	50 - 32	364
CDL150-30-2 (50)	30	2900	80 - 180	63.5 - 39	374
CDL150-30-1 (50)	37	2900	80 - 180	70 - 45	395
CDL150-30 (50)	37	2900	80 - 180	78 - 50.5	395
CDL150-40-2 (50)	45	2900	80 - 180	89 - 56	502
CDL150-40-1 (50)	45	2900	80 - 180	96.5 - 62	502
CDL150-40 (50)	55	2900	80 - 180	104 - 68	625
CDL150-50-2 (50)	55	2900	80 - 180	115.5 - 73.5	636
CDL150-50-1 (50)	75	2900	80 - 180	122.5 - 80	752
CDL150-50 (50)	75	2900	80 - 180	130 - 86.5	752
CDL150-60-2 (50)	75	2900	80 - 180	140 - 91	762
CDL150-60-1 (50)	75	2900	80 - 180	148.5 - 97.5	762
CDL150-60 (50)	75	2900	80 - 180	157 - 109	762
CDL200-10-B (50)	18.5	2900	100 - 240	25.5 - 15.5	343
CDL200-10-A (50)	22	2900	100 - 240	29 - 20	390
CDL200-10 (50)	30	2900	100 - 240	38.5 - 30	443
CDL200-20-2B (50)	37	2900	100 - 240	53 - 32	482
CDL200-20-2A (50)	45	2900	100 - 240	59.5 - 40.5	578
CDL200-20-A (50)	55	2900	100 - 240	69 - 51	710
CDL200-20 (50)	55	2900	100 - 240	78.5 - 61.5	710
CDL200-30-2B (50)	75	2900	100 - 240	91.5 - 63	845
CDL200-30-A-B (50)	75	2900	100 - 240	95 - 67	845
CDL200-30-2A (50)	75	2900	100 - 240	99.5 - 72	845
CDL200-30-B (50)	75	2900	100 - 240	104.5 - 77.5	845
CDL200-30-A (50)	75	2900	100 - 240	108 - 81.5	845
CDL200-30 (50)	90	2900	100 - 240	117.5 - 92	921



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL200-40-2B (50)	90	2900	100 - 240	131.5 - 94	938
CDL200-40-2A (50)	110	2900	100 - 240	138.5 - 102.5	1148
CDL200-40-A (50)	110	2900	100 - 240	148 - 113	1148
CDL200-40 (50)	110	2900	100 - 240	157.5 - 123.5	1148
CDL1-2 (60)	0.37	3500	0.6 - 2	17.5 - 13	20
CDL1-3 (60)	0.37	3500	0.6 - 2	26.5 - 20	20
CDL1-4 (60)	0.37	3500	0.6 - 2	35 - 26	21
CDL1-5 (60)	0.55	3500	0.6 - 2	43 - 33	22
CDL1-6 (60)	0.55	3500	0.6 - 2	52 - 39	23
CDL1-7 (60)	0.75	3500	0.6 - 2	60 - 46	26
CDL1-8 (60)	0.75	3500	0.6 - 2	68 - 53	27
CDL1-9 (60)	0.75	3500	0.6 - 2	76 - 60	28
CDL1-10 (60)	1.1	3500	0.6 - 2	85 - 67	29
CDL1-11 (60)	1.1	3500	0.6 - 2	95 - 73	29
CDL1-12 (60)	1.1	3500	0.6 - 2	103 - 79	30
CDL1-13 (60)	1.1	3500	0.6 - 2	112 - 86	31
CDL1-15 (60)	1.5	3500	0.6 - 2	127 - 99	37
CDL1-17 (60)	1.5	3500	0.6 - 2	144 - 112	38
CDL1-19 (60)	2.2	3500	0.6 - 2	160 - 124	41
CDL1-21 (60)	2.2	3500	0.6 - 2	177 - 138	42
CDL1-23 (60)	2.2	3500	0.6 - 2	193 - 152	43
CDL1-25 (60)	3	3500	0.6 - 2	210 - 164	51
CDL2-2 (60)	0.55	3500	1 - 4.5	26 - 9	21
CDL2-3 (60)	0.75	3500	1 - 4.5	39 - 15	24
CDL2-4 (60)	1.1	3500	1 - 4.5	52 - 20	25
CDL2-5 (60)	1.1	3500	1 - 4.5	65 - 25	26
CDL2-6 (60)	1.1	3500	1 - 4.5	78 - 30	26
CDL2-7 (60)	1.5	3500	1 - 4.5	91 - 35	32
CDL2-9 (60)	2.2	3500	1 - 4.5	117 - 45	36
CDL2-11 (60)	2.2	3500	1 - 4.5	143 - 56	37
CDL2-13 (60)	3	3500	1 - 4.5	171 - 66	44
CDL2-15 (60)	3	3500	1 - 4.5	195 - 77	45
CDL2-18 (60)	4	3500	1 - 4.5	234 - 94	54
CDL3-2 (60)	0.37	3500	1.5 - 5	17.5 - 8	20
CDL3-3 (60)	0.55	3500	1.5 - 5	26.5 - 12	21
CDL3-4 (60)	0.55	3500	1.5 - 5	35 - 17	22
CDL3-5 (60)	0.75	3500	1.5 - 5	44 - 23	25
CDL3-6 (60)	1.1	3500	1.5 - 5	51 - 27	26
CDL3-7 (60)	1.1	3500	1.5 - 5	61 - 31	27
CDL3-8 (60)	1.1	3500	1.5 - 5	70 - 35	27
CDL3-9 (60)	1.5	3500	1.5 - 5	78 - 40	33



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL3-10 (60)	1.5	3500	1.5 - 5	87 - 44	34
CDL3-11 (60)	1.5	3500	1.5 - 5	96 - 48	34
CDL3-12 (60)	2.2	3500	1.5 - 5	104 - 52	37
CDL3-13 (60)	2.2	3500	1.5 - 5	112 - 57	38
CDL3-15 (60)	2.2	3500	1.5 - 5	129 - 65	39
CDL3-17 (60)	2.2	3500	1.5 - 5	147 - 74	40
CDL3-19 (60)	3	3500	1.5 - 5	165 - 82	48
CDL3-21 (60)	3	3500	1.5 - 5	183 - 91	49
CDL3-23 (60)	3	3500	1.5 - 5	200 - 98	50
CDL3-25 (60)	4	3500	1.5 - 5	217 - 108	58
CDL4-2 (60)	0.75	3500	2.5 - 8	26 - 14	24
CDL4-3 (60)	1.1	3500	2.5 - 8	39 - 21	25
CDL4-4 (60)	1.5	3500	2.5 - 8	52 - 31	31
CDL4-5 (60)	2.2	3500	2.5 - 8	65 - 39	34
CDL4-6 (60)	2.2	3500	2.5 - 8	78 - 47	35
CDL4-7 (60)	3	3500	2.5 - 8	92 - 55	42
CDL4-8 (60)	3	3500	2.5 - 8	104 - 63	42
CDL4-10 (60)	4	3500	2.5 - 8	130 - 80	51
CDL4-12 (60)	4	3500	2.5 - 8	156 - 96	52
CDL4-14 (60)	5.5	3500	2.5 - 8	182 - 112	64
CDL4-16 (60)	5.5	3500	2.5 - 8	207 - 128	66
CDL8-2/1 (60)	0.75	3500	7 - 14	13 - 9	32
CDL8-2 (60)	1.5	3500	7 - 14	27 - 18	38
CDL8-3 (60)	2.2	3500	7 - 14	41 - 28	41
CDL8-4 (60)	3	3500	7 - 14	55 - 38	49
CDL8-5 (60)	3	3500	7 - 14	70 - 47	50
CDL8-6 (60)	4	3500	7 - 14	85 - 57	58
CDL8-8 (60)	5.5	3500	7 - 14	115 - 75	71
CDL8-10 (60)	7.5	3500	7 - 14	145 - 95	80
CDL8-12 (60)	7.5	3500	7 - 14	173 - 115	82
CDL8-14 (60)	11	3500	7 - 14	202 - 135	153
CDL10-1 (60)	0.75	3500	6 - 15	14 - 6	40
CDL10-2 (60)	1.5	3500	6 - 15	29 - 16	47
CDL10-3 (60)	2.2	3500	6 - 15	43 - 25	51
CDL10-4 (60)	3	3500	6 - 15	58 - 34	60
CDL10-5 (60)	3	3500	6 - 15	72 - 43	61
CDL10-6 (60)	4	3500	6 - 15	87 - 52	70
CDL10-7 (60)	5.5	3500	6 - 15	102 - 61	92
CDL10-8 (60)	5.5	3500	6 - 15	117 - 70	93
CDL10-9 (60)	5.5	3500	6 - 15	131 - 79	94
CDL10-10 (60)	7.5	3500	6 - 15	146 - 89	98



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL10-12 (60)	7.5	3500	6 - 15	175 - 107	100
CDL10-14 (60)	11	3500	6 - 15	204 - 125	157
CDL10-16 (60)	11	3500	6 - 15	233 - 143	159
CDL10-17 (60)	11	3500	6 - 15	248 - 152	160
CDL12-1 (60)	1.1	3500	7 - 19	17 - 8.5	32
CDL12-2 (60)	2.2	3500	7 - 19	35 - 20.5	41
CDL12-3 (60)	4	3500	7 - 19	52.5 - 31	56
CDL12-4 (60)	5.5	3500	7 - 19	70 - 41	69
CDL12-5 (60)	5.5	3500	7 - 19	88 - 51	71
CDL12-6 (60)	7.5	3500	7 - 19	107 - 61	77
CDL12-7 (60)	7.5	3500	7 - 19	124 - 71	78
CDL12-8 (60)	11	3500	7 - 19	141 - 82	147
CDL12-10 (60)	11	3500	7 - 19	178 - 104	151
CDL12-12 (60)	15	3500	7 - 19	213 - 125	164
CDL12-14 (60)	15	3500	7 - 19	249 - 145	167
CDL15-1 (60)	1.5	3500	10 - 26	17.5 - 9.5	39
CDL15-2 (60)	3	3500	10 - 26	36.5 - 24	49
CDL15-3 (60)	4	3500	10 - 26	56 - 37	58
CDL15-4 (60)	5.5	3500	10 - 26	75 - 49	71
CDL15-5 (60)	7.5	3500	10 - 26	94 - 62	81
CDL15-6 (60)	11	3500	10 - 26	113 - 76	150
CDL15-7 (60)	11	3500	10 - 26	134 - 90	152
CDL15-8 (60)	11	3500	10 - 26	154 - 103	153
CDL15-9 (60)	15	3500	10 - 26	174 - 118	165
CDL15-10 (60)	15	3500	10 - 26	193 - 131	167
CDL15-12 (60)	18.5	3500	10 - 26	232 - 158	191
CDL20-1 (60)	2.2	3500	12 - 34	19 - 8.5	41
CDL20-2 (60)	4	3500	12 - 34	38 - 21	56
CDL20-3 (60)	5.5	3500	12 - 34	58 - 33	69
CDL20-4 (60)	7.5	3500	12 - 34	78 - 45	79
CDL20-5 (60)	11	3500	12 - 34	98 - 57	148
CDL20-6 (60)	11	3500	12 - 34	118 - 70	150
CDL20-7 (60)	15	3500	12 - 34	138 - 83	162
CDL20-8 (60)	15	3500	12 - 34	158 - 96	163
CDL20-10 (60)	18.5	3500	12 - 34	198 - 122	187
CDL32-10-1 (60)	3	3500	20 - 48	20 - 7	73
CDL32-10 (60)	4	3500	20 - 48	26 - 14	81
CDL32-20-2 (60)	5.5	3500	20 - 48	41 - 17	95
CDL32-20 (60)	7.5	3500	20 - 48	52 - 27	101
CDL32-30-2 (60)	7.5	3500	20 - 48	67 - 31	104
CDL32-30 (60)	11	3500	20 - 48	78 - 40	172



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL32-40-2 (60)	11	3500	20 - 48	94 - 45	176
CDL32-40 (60)	15	3500	20 - 48	104 - 55	186
CDL32-50-2 (60)	15	3500	20 - 48	119 - 59	191
CDL32-50 (60)	18.5	3500	20 - 48	130 - 69	211
CDL32-60-2 (60)	18.5	3500	20 - 48	145 - 74	216
CDL32-60 (60)	18.5	3500	20 - 48	155 - 81	216
CDL32-70-2 (60)	22	3500	20 - 48	172 - 86	255
CDL32-70 (60)	22	3500	20 - 48	182 - 97	255
CDL32-80-2 (60)	22	3500	20 - 48	196 - 102	259
CDL32-80 (60)	30	3500	20 - 48	208 - 111	315
CDL32-90-2 (60)	30	3500	20 - 48	223 - 117	319
CDL32-90 (60)	30	3500	20 - 48	234 - 127	319
CDL32-100-2 (60)	30	3500	20 - 48	248 - 133	324
CDL42-10-1 (60)	5.5	3500	30 - 65	29 - 16	101
CDL42-10 (60)	7.5	3500	30 - 65	34 - 22	106
CDL42-20-2 (60)	11	3500	30 - 65	57 - 33	178
CDL42-20 (60)	15	3500	30 - 65	69 - 44	188
CDL42-30-2 (60)	18.5	3500	30 - 65	90 - 55	213
CDL42-30 (60)	18.5	3500	30 - 65	102 - 68	213
CDL42-40-2 (60)	22	3500	30 - 65	125 - 78	253
CDL42-40 (60)	30	3500	30 - 65	136 - 89	309
CDL42-50-2 (60)	30	3500	30 - 65	159 - 99	313
CDL42-50 (60)	30	3500	30 - 65	171 - 112	313
CDL42-60-2 (60)	37	3500	30 - 65	194 - 122	340
CDL42-60 (60)	37	3500	30 - 65	205 - 134	340
CDL42-70-2 (60)	45	3500	30 - 65	227 - 144	404
CDL42-70 (60)	45	3500	30 - 65	239 - 157	404
CDL65-10-1 (60)	7.5	3500	40 - 100	26 - 10	109
CDL65-10 (60)	11	3500	40 - 100	37 - 21	177
CDL65-20-2 (60)	15	3500	40 - 100	53 - 23	187
CDL65-20 (60)	22	3500	40 - 100	74 - 42	248
CDL65-30-2 (60)	22	3500	40 - 100	93 - 45	252
CDL65-30 (60)	30	3500	40 - 100	112 - 65	313
CDL65-40-2 (60)	37	3500	40 - 100	130 - 66	336
CDL65-40 (60)	45	3500	40 - 100	152 - 86	398
CDL65-50-2 (60)	45	3500	40 - 100	172 - 91	402
CDL85-10-1 (60)	11	3500	60 - 130	31 - 9	177
CDL85-10 (60)	15	3500	60 - 130	36 - 18	188
CDL85-20-2 (60)	18.5	3500	60 - 130	59 - 22	211
CDL85-20-1 (60)	22	3500	60 - 130	67 - 33	248
CDL85-20 (60)	30	3500	60 - 130	76 - 44	304



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDL85-30-2 (60)	37	3500	60 - 130	98 - 46	330
CDL85-30-1 (60)	37	3500	60 - 130	108 - 56	330
CDL85-30 (60)	45	3500	60 - 130	116 - 69	392
CDL85-40-2 (60)	45	3500	60 - 130	141 - 72	396
CDL120-10-1 (60)	15	3540	60 - 160	26.5 - 20	235
CDL120-10 (60)	18.5	3540	60 - 160	30.8 - 24.4	250
CDL120-20-2 (60)	30	3540	60 - 160	51.5 - 38.5	350
CDL120-20-1 (60)	30	3540	60 - 160	58.3 - 45	350
CDL120-20 (60)	37	3540	60 - 160	66.3 - 54.6	380
CDL120-30-2 (60)	45	3540	60 - 160	83 - 65	445
CDL120-30-1 (60)	45	3540	60 - 160	91.3 - 73.3	445
CDL120-30 (60)	55	3540	60 - 160	100.3 - 82.7	545
CDL120-40-2 (60)	75	3540	60 - 160	116 - 93	675
CDL120-40-1 (60)	75	3540	60 - 160	126 - 103	675
CDL120-40 (60)	75	3540	60 - 160	134 - 109.5	675
CDL120-50-2 (60)	75	3540	60 - 160	152 - 122	690
CDL150-10-1 (60)	15	3540	80 - 180	26.5 - 18	235
CDL150-10 (60)	22	3540	80 - 180	35 - 27	280
CDL150-20-2 (60)	30	3540	80 - 180	57 - 43	360
CDL150-20-1 (60)	37	3540	80 - 180	67 - 51	380
CDL150-20 (60)	45	3540	80 - 180	75.5 - 59	435
CDL150-30-2 (60)	55	3540	80 - 180	94 - 72.5	545
CDL150-30-1 (60)	75	3540	80 - 180	104 - 80	665
CDL150-30 (60)	75	3540	80 - 180	114.4 - 89.4	665
CDL150-40-2 (60)	75	3540	80 - 180	133 - 102.5	680
CDL200-10-B (60)	30	3540	100 - 240	38 - 29	403
CDL200-10-A (60)	37	3540	100 - 240	43 - 34.5	426
CDL200-10 (60)	45	3540	100 - 240	56 - 48.5	484
CDL200-20-2B (60)	55	3540	100 - 240	77.5 - 58.5	595
CDL200-20-2A (60)	75	3540	100 - 240	87 - 70	718
CDL200-20-B (60)	75	3540	100 - 240	95.5 - 79	718
CDL200-20-A (60)	90	3540	100 - 240	100 - 84	787
CDL200-20 (60)	90	3540	100 - 240	114 - 98.5	787
CDL200-30-2B (60)	110	3540	100 - 240	135 - 108.5	1158
CDL200-30-A-B (60)	110	3540	100 - 240	139 - 113.5	1158
CDL200-30-2A (60)	110	3540	100 - 240	145 - 120	1158

Performance is for clean water at 20 C unless stated, as published in the CNP catalogue. The ranges show the first and last points of each performance curve. For a datasheet with the full curve and dimensions, open the model page.