

CDM / CDMF

Model & performance table



CNP-S-000008

Scan to open this online



New-generation energy-saving vertical multistage pumps, CDM / CDMF

Models (461)

Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM1-2 (50)	0.37	2900	0.5 - 2.4	11.8 - 4	23
CDM1-3 (50)	0.37	2900	0.5 - 2.4	17.5 - 6	23
CDM1-4 (50)	0.37	2900	0.5 - 2.4	23.5 - 8	24
CDM1-5 (50)	0.37	2900	0.5 - 2.4	29 - 10	24
CDM1-6 (50)	0.37	2900	0.5 - 2.4	35 - 12.5	25
CDM1-7 (50)	0.37	2900	0.5 - 2.4	41 - 15	25
CDM1-8 (50)	0.55	2900	0.5 - 2.4	47 - 18	27
CDM1-9 (50)	0.55	2900	0.5 - 2.4	52.5 - 20.5	27
CDM1-10 (50)	0.55	2900	0.5 - 2.4	58.5 - 23	28
CDM1-11 (50)	0.55	2900	0.5 - 2.4	64 - 25.5	28
CDM1-12 (50)	0.75	2900	0.5 - 2.4	70 - 28	31
CDM1-13 (50)	0.75	2900	0.5 - 2.4	75.5 - 31	31
CDM1-15 (50)	0.75	2900	0.5 - 2.4	87.5 - 36	32
CDM1-17 (50)	1.1	2900	0.5 - 2.4	99 - 41	35
CDM1-19 (50)	1.1	2900	0.5 - 2.4	110 - 46	36
CDM1-21 (50)	1.1	2900	0.5 - 2.4	122 - 50	36
CDM1-22 (50)	1.1	2900	0.5 - 2.4	128 - 54	37
CDM1-23 (50)	1.5	2900	0.5 - 2.4	134 - 58	43
CDM1-25 (50)	1.5	2900	0.5 - 2.4	146 - 63	44
CDM1-27 (50)	1.5	2900	0.5 - 2.4	158 - 69	45
CDM1-30 (50)	1.5	2900	0.5 - 2.4	175 - 77	46
CDM1-32 (50)	2.2	2900	0.5 - 2.4	189 - 85	49
CDM1-33 (50)	2.2	2900	0.5 - 2.4	195 - 87	49
CDM1-34 (50)	2.2	2900	0.5 - 2.4	200 - 90	50
CDM1-36 (50)	2.2	2900	0.5 - 2.4	212 - 95	51
CDM1-38 (50)	2.2	2900	0.5 - 2.4	225 - 101	51
CDM1-40 (50)	2.2	2900	0.5 - 2.4	237 - 106	52
CDM3-2 (50)	0.37	2900	1.2 - 4.4	14.7 - 6	24
CDM3-3 (50)	0.37	2900	1.2 - 4.4	22.2 - 9.5	24
CDM3-4 (50)	0.37	2900	1.2 - 4.4	29.7 - 13	25
CDM3-5 (50)	0.55	2900	1.2 - 4.4	37.2 - 16	26
CDM3-6 (50)	0.55	2900	1.2 - 4.4	45 - 19.5	27



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM3-7 (50)	0.75	2900	1.2 - 4.4	52.5 - 23	30
CDM3-8 (50)	0.75	2900	1.2 - 4.4	60 - 26.5	30
CDM3-9 (50)	1.1	2900	1.2 - 4.4	67.5 - 30	32
CDM3-10 (50)	1.1	2900	1.2 - 4.4	75 - 33.5	33
CDM3-11 (50)	1.1	2900	1.2 - 4.4	82.5 - 37	33
CDM3-12 (50)	1.1	2900	1.2 - 4.4	90 - 40.5	34
CDM3-13 (50)	1.5	2900	1.2 - 4.4	98 - 44	39
CDM3-14 (50)	1.5	2900	1.2 - 4.4	105 - 47	40
CDM3-15 (50)	1.5	2900	1.2 - 4.4	113 - 51	40
CDM3-16 (50)	1.5	2900	1.2 - 4.4	120 - 54	41
CDM3-18 (50)	2.2	2900	1.2 - 4.4	136 - 61	43
CDM3-19 (50)	2.2	2900	1.2 - 4.4	143 - 64	44
CDM3-20 (50)	2.2	2900	1.2 - 4.4	151 - 67	44
CDM3-21 (50)	2.2	2900	1.2 - 4.4	158 - 71	45
CDM3-22 (50)	2.2	2900	1.2 - 4.4	166 - 74	45
CDM3-23 (50)	2.2	2900	1.2 - 4.4	173 - 78	46
CDM3-24 (50)	2.2	2900	1.2 - 4.4	181 - 81	46
CDM3-25 (50)	3	2900	1.2 - 4.4	188 - 85	57
CDM3-27 (50)	3	2900	1.2 - 4.4	204 - 92	58
CDM3-28 (50)	3	2900	1.2 - 4.4	212 - 95	58
CDM3-29 (50)	3	2900	1.2 - 4.4	220 - 99	58
CDM3-31 (50)	3	2900	1.2 - 4.4	235 - 106	59
CDM5-2 (50)	0.37	2900	2.5 - 8.5	14.7 - 4	24
CDM5-3 (50)	0.55	2900	2.5 - 8.5	22.1 - 7.5	26
CDM5-4 (50)	0.55	2900	2.5 - 8.5	29.5 - 11	27
CDM5-5 (50)	0.75	2900	2.5 - 8.5	37 - 15	30
CDM5-6 (50)	1.1	2900	2.5 - 8.5	44.5 - 18	32
CDM5-7 (50)	1.1	2900	2.5 - 8.5	52 - 21	32
CDM5-8 (50)	1.1	2900	2.5 - 8.5	59 - 24	33
CDM5-9 (50)	1.5	2900	2.5 - 8.5	67 - 27	38
CDM5-10 (50)	1.5	2900	2.5 - 8.5	74.5 - 30	39
CDM5-11 (50)	1.5	2900	2.5 - 8.5	82 - 33	39
CDM5-12 (50)	2.2	2900	2.5 - 8.5	89.5 - 37	42
CDM5-13 (50)	2.2	2900	2.5 - 8.5	97 - 40	42
CDM5-14 (50)	2.2	2900	2.5 - 8.5	104 - 43.5	43
CDM5-15 (50)	2.2	2900	2.5 - 8.5	112 - 46.5	43
CDM5-16 (50)	2.2	2900	2.5 - 8.5	119 - 50	44
CDM5-17 (50)	3	2900	2.5 - 8.5	127 - 53	55
CDM5-18 (50)	3	2900	2.5 - 8.5	134 - 56	55
CDM5-20 (50)	3	2900	2.5 - 8.5	149 - 63	56
CDM5-21 (50)	3	2900	2.5 - 8.5	157 - 66	57



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM5-22 (50)	4	2900	2.5 - 8.5	164 - 70	64
CDM5-23 (50)	4	2900	2.5 - 8.5	172 - 74	65
CDM5-24 (50)	4	2900	2.5 - 8.5	179 - 77	65
CDM5-25 (50)	4	2900	2.5 - 8.5	187 - 80	66
CDM5-27 (50)	4	2900	2.5 - 8.5	202 - 86	67
CDM5-28 (50)	4	2900	2.5 - 8.5	210 - 90	67
CDM5-29 (50)	5.5	2900	2.5 - 8.5	217 - 95	87
CDM5-30 (50)	5.5	2900	2.5 - 8.5	225 - 98	88
CDM5-33 (50)	5.5	2900	2.5 - 8.5	249 - 109	89
CDM10-1 (50)	0.75	2900	5 - 14	11 - 4.5	31
CDM10-2 (50)	0.75	2900	5 - 14	22.2 - 9.5	32
CDM10-3 (50)	1.1	2900	5 - 14	33.3 - 16.5	35
CDM10-4 (50)	1.5	2900	5 - 14	44.5 - 22	41
CDM10-5 (50)	2.2	2900	5 - 14	56 - 28	45
CDM10-6 (50)	2.2	2900	5 - 14	67 - 34	46
CDM10-7 (50)	3	2900	5 - 14	78.5 - 40	57
CDM10-8 (50)	3	2900	5 - 14	90 - 46	58
CDM10-9 (50)	4	2900	5 - 14	101.5 - 52	65
CDM10-10 (50)	4	2900	5 - 14	113 - 58	66
CDM10-11 (50)	4	2900	5 - 14	124 - 64	67
CDM10-12 (50)	4.5	2900	5 - 14	137 - 70	68
CDM10-13 (50)	5.5	2900	5 - 14	147 - 76	88
CDM10-14 (50)	5.5	2900	5 - 14	160 - 82	89
CDM10-15 (50)	5.5	2900	5 - 14	171 - 88	90
CDM10-16 (50)	7.5	2900	5 - 14	183 - 94	99
CDM10-17 (50)	7.5	2900	5 - 14	194 - 100	100
CDM10-18 (50)	7.5	2900	5 - 14	205 - 108	101
CDM10-19 (50)	7.5	2900	5 - 14	217 - 113	102
CDM10-20 (50)	7.5	2900	5 - 14	228 - 120	103
CDM10-21 (50)	7.5	2900	5 - 14	240 - 126	104
CDM10-22 (50)	11	2900	5 - 14	250 - 132	170
CDM15-1 (50)	1.1	2900	8 - 24	12.6 - 6.5	40
CDM15-2 (50)	2.2	2900	8 - 24	26 - 13.5	48
CDM15-3 (50)	3	2900	8 - 24	40 - 21	59
CDM15-4 (50)	4	2900	8 - 24	54 - 28.5	66
CDM15-5 (50)	4	2900	8 - 24	68 - 36	68
CDM15-6 (50)	5.5	2900	8 - 24	82 - 43	90
CDM15-7 (50)	5.5	2900	8 - 24	96 - 51	91
CDM15-8 (50)	7.5	2900	8 - 24	110 - 59	98
CDM15-9 (50)	7.5	2900	8 - 24	124 - 67	99
CDM15-10 (50)	11	2900	8 - 24	138 - 75	157



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM15-11 (50)	11	2900	8 - 24	151 - 83	159
CDM15-12 (50)	11	2900	8 - 24	166 - 90	160
CDM15-13 (50)	11	2900	8 - 24	180 - 99	162
CDM15-14 (50)	11	2900	8 - 24	194 - 106	163
CDM15-15 (50)	15	2900	8 - 24	208 - 116	179
CDM15-16 (50)	15	2900	8 - 24	222 - 125	181
CDM15-17 (50)	15	2900	8 - 24	236 - 132	182
CDM15-18 (50)	15	2900	8 - 24	250 - 141	184
CDM20-1 (50)	1.1	2900	10 - 29	13.3 - 7	40
CDM20-2 (50)	2.2	2900	10 - 29	27.2 - 14.5	48
CDM20-3 (50)	4	2900	10 - 29	41.5 - 23.5	66
CDM20-4 (50)	5.5	2900	10 - 29	55.5 - 31.5	88
CDM20-5 (50)	5.5	2900	10 - 29	69.5 - 40	90
CDM20-6 (50)	7.5	2900	10 - 29	83.8 - 48	99
CDM20-7 (50)	7.5	2900	10 - 29	98 - 57.5	100
CDM20-8 (50)	11	2900	10 - 29	113 - 66	167
CDM20-10 (50)	11	2900	10 - 29	141 - 83	170
CDM20-12 (50)	15	2900	10 - 29	171 - 100	188
CDM20-14 (50)	15	2900	10 - 29	201 - 117	191
CDM20-17 (50)	18.5	2900	10 - 29	244 - 147	212
CDM32-1-1 (50)	1.5	2900	16 - 40	15 - 4	66
CDM32-1 (50)	2.2	2900	16 - 40	20 - 8	68
CDM32-2-2 (50)	3	2900	16 - 40	33 - 11	73
CDM32-2 (50)	4	2900	16 - 40	40 - 18	79
CDM32-3-2 (50)	5.5	2900	16 - 40	50 - 21	102
CDM32-3 (50)	5.5	2900	16 - 40	57 - 27	102
CDM32-4-2 (50)	7.5	2900	16 - 40	72 - 30	113
CDM32-4 (50)	7.5	2900	16 - 40	78 - 37	113
CDM32-5-2 (50)	11	2900	16 - 40	92 - 41	184
CDM32-5 (50)	11	2900	16 - 40	99 - 47	184
CDM32-6-2 (50)	11	2900	16 - 40	108 - 51	186
CDM32-6 (50)	11	2900	16 - 40	118 - 57	186
CDM32-7-2 (50)	15	2900	16 - 40	129 - 60	204
CDM32-7 (50)	15	2900	16 - 40	138 - 67	204
CDM32-8-2 (50)	15	2900	16 - 40	145 - 71	207
CDM32-8 (50)	15	2900	16 - 40	154 - 77	207
CDM32-9-2 (50)	18.5	2900	16 - 40	163 - 80	218
CDM32-9 (50)	18.5	2900	16 - 40	172 - 88	218
CDM32-10-2 (50)	18.5	2900	16 - 40	182 - 91	221
CDM32-10 (50)	18.5	2900	16 - 40	193 - 98	221
CDM32-11-2 (50)	22	2900	16 - 40	204 - 102	277



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM32-11 (50)	22	2900	16 - 40	210 - 109	277
CDM32-12-2 (50)	22	2900	16 - 40	222 - 113	280
CDM32-12 (50)	22	2900	16 - 40	231 - 120	280
CDM32-13-2 (50)	30	2900	16 - 40	246 - 124	343
CDM32-13 (50)	30	2900	16 - 40	253 - 131	343
CDM32-14-2 (50)	30	2900	16 - 40	265 - 135	346
CDM32-14 (50)	30	2900	16 - 40	273 - 142	346
CDM32-15-2 (50)	30	2900	16 - 40	284 - 145	349
CDM32-15 (50)	30	2900	16 - 40	292 - 152	349
CDM32-16-2 (50)	30	2900	16 - 40	304 - 156	352
CDM32-16 (50)	30	2900	16 - 40	312 - 163	352
CDM42-1-1 (50)	3	2900	25 - 55	20 - 11	83
CDM42-1 (50)	4	2900	25 - 55	27 - 16	90
CDM42-2-2 (50)	5.5	2900	25 - 55	42 - 23	113
CDM42-2 (50)	7.5	2900	25 - 55	50 - 31	121
CDM42-3-2 (50)	11	2900	25 - 55	66 - 38	192
CDM42-3 (50)	11	2900	25 - 55	75 - 47	192
CDM42-4-2 (50)	15	2900	25 - 55	92 - 54	211
CDM42-4 (50)	15	2900	25 - 55	100 - 62	211
CDM42-5-2 (50)	18.5	2900	25 - 55	118 - 69	223
CDM42-5 (50)	18.5	2900	25 - 55	125 - 78	223
CDM42-6-2 (50)	22	2900	25 - 55	142 - 85	279
CDM42-6 (50)	22	2900	25 - 55	150 - 93	279
CDM42-7-2 (50)	30	2900	25 - 55	166 - 100	343
CDM42-7 (50)	30	2900	25 - 55	175 - 109	343
CDM42-8-2 (50)	30	2900	25 - 55	192 - 116	347
CDM42-8 (50)	30	2900	25 - 55	202 - 124	347
CDM42-9-2 (50)	30	2900	25 - 55	212 - 132	350
CDM42-9 (50)	37	2900	25 - 55	220 - 140	370
CDM42-10-2 (50)	37	2900	25 - 55	237 - 147	374
CDM42-10 (50)	37	2900	25 - 55	245 - 155	374
CDM42-11-2 (50)	45	2900	25 - 55	262 - 165	477
CDM42-11 (50)	45	2900	25 - 55	269 - 173	477
CDM42-12-2 (50)	45	2900	25 - 55	284 - 181	481
CDM42-12 (50)	45	2900	25 - 55	290 - 190	481
CDM42-13-2 (50)	45	2900	25 - 55	312 - 198	484
CDM65-1-1 (50)	4	2900	30 - 80	20 - 8	101
CDM65-1 (50)	5.5	2900	30 - 80	30 - 15	121
CDM65-2-2 (50)	7.5	2900	30 - 80	42 - 17	133
CDM65-2-1 (50)	11	2900	30 - 80	50 - 24	201
CDM65-2 (50)	11	2900	30 - 80	60 - 30	201



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM65-3-2 (50)	15	2900	30 - 80	73 - 32	219
CDM65-3-1 (50)	15	2900	30 - 80	80 - 39	219
CDM65-3 (50)	18.5	2900	30 - 80	87 - 46	227
CDM65-4-2 (50)	18.5	2900	30 - 80	98 - 47	231
CDM65-4-1 (50)	22	2900	30 - 80	107 - 54	284
CDM65-4 (50)	22	2900	30 - 80	116 - 61	284
CDM65-5-2 (50)	30	2900	30 - 80	130 - 64	349
CDM65-5-1 (50)	30	2900	30 - 80	138 - 71	349
CDM65-5 (50)	30	2900	30 - 80	146 - 78	349
CDM65-6-2 (50)	30	2900	30 - 80	158 - 81	353
CDM65-6-1 (50)	37	2900	30 - 80	166 - 88	373
CDM65-6 (50)	37	2900	30 - 80	175 - 95	373
CDM65-7-2 (50)	37	2900	30 - 80	186 - 99	377
CDM65-7-1 (50)	37	2900	30 - 80	196 - 106	377
CDM65-7 (50)	45	2900	30 - 80	205 - 112	477
CDM65-8-2 (50)	45	2900	30 - 80	216 - 116	481
CDM65-8-1 (50)	45	2900	30 - 80	225 - 123	481
CDM85-1-1 (50)	5.5	2900	50 - 110	26 - 6	110
CDM85-1 (50)	7.5	2900	50 - 110	33 - 12	118
CDM85-2-2 (50)	11	2900	50 - 110	47 - 15	190
CDM85-2 (50)	15	2900	50 - 110	67 - 30	205
CDM85-3-2 (50)	18.5	2900	50 - 110	75 - 32	217
CDM85-3 (50)	22	2900	50 - 110	98 - 48	270
CDM85-4-2 (50)	30	2900	50 - 110	115 - 50	335
CDM85-4 (50)	30	2900	50 - 110	134 - 66	335
CDM85-5-2 (50)	37	2900	50 - 110	150 - 68	359
CDM85-5 (50)	37	2900	50 - 110	164 - 83	359
CDM85-6-2 (50)	45	2900	50 - 110	177 - 86	463
CDM85-6 (50)	45	2900	50 - 110	197 - 103	463
CDM120-1 (50)	11	2950	60 - 150	23 - 15	226
CDM120-2-2 (50)	15	2950	60 - 150	37 - 24	250
CDM120-2-1 (50)	18.5	2950	60 - 150	43 - 27.5	263
CDM120-2 (50)	22	2950	60 - 150	48 - 33.5	310
CDM120-3-2 (50)	30	2950	60 - 150	59.5 - 41	375
CDM120-3-1 (50)	30	2950	60 - 150	65.5 - 46	375
CDM120-3 (50)	30	2950	60 - 150	71 - 51	375
CDM120-4-2 (50)	37	2950	60 - 150	82 - 58	405
CDM120-4-1 (50)	37	2950	60 - 150	91 - 64.5	405
CDM120-4 (50)	45	2950	60 - 150	96 - 68.5	501
CDM120-5-2 (50)	45	2950	60 - 150	108 - 75.5	509
CDM120-5-1 (50)	45	2950	60 - 150	115 - 83	509



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM120-5 (50)	55	2950	60 - 150	121 - 86	632
CDM120-6-2 (50)	55	2950	60 - 150	131 - 92.5	641
CDM120-6-1 (50)	55	2950	60 - 150	139 - 100	641
CDM120-6 (50)	75	2950	60 - 150	144 - 104	757
CDM120-7-2 (50)	75	2950	60 - 150	154 - 109	766
CDM120-7-1 (50)	75	2950	60 - 150	161 - 116.5	766
CDM120-7 (50)	75	2950	60 - 150	166 - 123	766
CDM150-1-1 (50)	11	2950	80 - 180	19.5 - 8.5	227
CDM150-1 (50)	15	2950	80 - 180	25 - 15	240
CDM150-2-2 (50)	18.5	2950	80 - 180	40 - 21	263
CDM150-2-1 (50)	22	2950	80 - 180	47.5 - 27	311
CDM150-2 (50)	30	2950	80 - 180	55 - 32	364
CDM150-3-2 (50)	30	2950	80 - 180	69 - 39	374
CDM150-3-1 (50)	37	2950	80 - 180	75 - 45	395
CDM150-3 (50)	37	2950	80 - 180	83 - 50.5	395
CDM150-4-2 (50)	45	2950	80 - 180	95 - 56	502
CDM150-4-1 (50)	45	2950	80 - 180	104 - 62	502
CDM150-4 (50)	55	2950	80 - 180	112 - 68	625
CDM150-5-2 (50)	55	2950	80 - 180	125.5 - 73.5	636
CDM150-5-1 (50)	75	2950	80 - 180	132 - 80	752
CDM150-5 (50)	75	2950	80 - 180	140 - 86.5	752
CDM150-6-2 (50)	75	2950	80 - 180	149 - 91	762
CDM150-6-1 (50)	75	2950	80 - 180	158 - 97.5	762
CDM150-6 (50)	75	2950	80 - 180	168 - 109	762
CDM200-1-B (50)	18.5	2950	100 - 240	28 - 15.5	344
CDM200-1-A (50)	22	2950	100 - 240	31 - 20	380
CDM200-1 (50)	30	2950	100 - 240	40.5 - 30	437
CDM200-2-2B (50)	37	2950	100 - 240	57 - 32	481
CDM200-2-2A (50)	45	2950	100 - 240	63 - 40.5	536
CDM200-2-A (50)	55	2950	100 - 240	73 - 51	631
CDM200-2 (50)	55	2950	100 - 240	82.5 - 61.5	631
CDM200-3-2B (50)	75	2950	100 - 240	98 - 63	784
CDM200-3-A-B (50)	75	2950	100 - 240	100.5 - 67	784
CDM200-3-2A (50)	75	2950	100 - 240	106 - 72	784
CDM200-3-B (50)	75	2950	100 - 240	111 - 77.5	784
CDM200-3-A (50)	75	2950	100 - 240	114 - 81.5	784
CDM200-3 (50)	90	2950	100 - 240	123 - 92	853
CDM200-4-2B (50)	90	2950	100 - 240	139.5 - 94	866
CDM200-4-2A (50)	110	2950	100 - 240	147 - 102.5	1205
CDM200-4-A (50)	110	2950	100 - 240	157 - 113	1205
CDM200-4 (50)	110	2950	100 - 240	166 - 123.5	1205



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM1-2 (60)	0.37	3500	0.6 - 2.8	17.5 - 8.4	23
CDM1-3 (60)	0.37	3500	0.6 - 2.8	26 - 12.5	23
CDM1-4 (60)	0.37	3500	0.6 - 2.8	34 - 16.8	24
CDM1-5 (60)	0.55	3500	0.6 - 2.8	43 - 21	25
CDM1-6 (60)	0.55	3500	0.6 - 2.8	51.5 - 25	25
CDM1-7 (60)	0.75	3500	0.6 - 2.8	60 - 29	29
CDM1-8 (60)	0.75	3500	0.6 - 2.8	68 - 33	29
CDM1-9 (60)	0.75	3500	0.6 - 2.8	77 - 38	30
CDM1-10 (60)	1.1	3500	0.6 - 2.8	85.5 - 42	32
CDM1-11 (60)	1.1	3500	0.6 - 2.8	94 - 46	33
CDM1-12 (60)	1.1	3500	0.6 - 2.8	103 - 50	33
CDM1-13 (60)	1.1	3500	0.6 - 2.8	112 - 55	33
CDM1-15 (60)	1.5	3500	0.6 - 2.8	129 - 64	39
CDM1-17 (60)	1.5	3500	0.6 - 2.8	146 - 72	40
CDM1-19 (60)	2.2	3500	0.6 - 2.8	162 - 81	43
CDM1-21 (60)	2.2	3500	0.6 - 2.8	180 - 90	43
CDM1-23 (60)	2.2	3500	0.6 - 2.8	197 - 98	44
CDM1-25 (60)	2.2	3500	0.6 - 2.8	215 - 107	45
CDM1-26 (60)	2.2	3500	0.6 - 2.8	223 - 111	46
CDM1-27 (60)	3	3500	0.6 - 2.8	232 - 115	57
CDM1-29 (60)	3	3500	0.6 - 2.8	249 - 123	58
CDM3-2 (60)	0.37	3500	1.4 - 5.2	21.2 - 9.2	24
CDM3-3 (60)	0.55	3500	1.4 - 5.2	32 - 14.6	25
CDM3-4 (60)	0.75	3500	1.4 - 5.2	43 - 20	28
CDM3-5 (60)	1.1	3500	1.4 - 5.2	54 - 24.5	31
CDM3-6 (60)	1.1	3500	1.4 - 5.2	65 - 29.5	31
CDM3-7 (60)	1.1	3500	1.4 - 5.2	76 - 35	32
CDM3-8 (60)	1.5	3500	1.4 - 5.2	86 - 40	37
CDM3-9 (60)	1.5	3500	1.4 - 5.2	97 - 45	37
CDM3-10 (60)	2.2	3500	1.4 - 5.2	108 - 50	40
CDM3-11 (60)	2.2	3500	1.4 - 5.2	119 - 56	40
CDM3-12 (60)	2.2	3500	1.4 - 5.2	130 - 60	41
CDM3-13 (60)	2.2	3500	1.4 - 5.2	141 - 66	41
CDM3-14 (60)	2.2	3500	1.4 - 5.2	152 - 70	42
CDM3-15 (60)	3	3500	1.4 - 5.2	163 - 77	52
CDM3-16 (60)	3	3500	1.4 - 5.2	174 - 82	53
CDM3-18 (60)	3	3500	1.4 - 5.2	196 - 92	54
CDM3-19 (60)	3	3500	1.4 - 5.2	206 - 97	54
CDM3-20 (60)	4	3500	1.4 - 5.2	218 - 103	61
CDM3-21 (60)	4	3500	1.4 - 5.2	228 - 108	61
CDM3-22 (60)	4	3500	1.4 - 5.2	239 - 113	62



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM3-23 (60)	4	3500	1.4 - 5.2	250 - 117	62
CDM5-2 (60)	0.55	3500	3 - 10	21.2 - 6.2	25
CDM5-3 (60)	0.75	3500	3 - 10	31.8 - 11.5	28
CDM5-4 (60)	1.1	3500	3 - 10	42.5 - 16.8	31
CDM5-5 (60)	1.5	3500	3 - 10	53.3 - 23	37
CDM5-6 (60)	1.5	3500	3 - 10	64 - 27.5	37
CDM5-7 (60)	2.2	3500	3 - 10	75 - 32	40
CDM5-8 (60)	2.2	3500	3 - 10	85 - 36.5	40
CDM5-9 (60)	2.2	3500	3 - 10	96.5 - 41	41
CDM5-10 (60)	3	3500	3 - 10	107 - 46	51
CDM5-11 (60)	3	3500	3 - 10	118 - 50.5	52
CDM5-12 (60)	3	3500	3 - 10	129 - 56	52
CDM5-13 (60)	4	3500	3 - 10	140 - 61	59
CDM5-14 (60)	4	3500	3 - 10	151 - 66	60
CDM5-15 (60)	4	3500	3 - 10	161 - 71	60
CDM5-16 (60)	4	3500	3 - 10	172 - 76	61
CDM5-17 (60)	5.5	3500	3 - 10	183 - 81	81
CDM5-18 (60)	5.5	3500	3 - 10	194 - 86	81
CDM5-20 (60)	5.5	3500	3 - 10	215 - 95	82
CDM5-21 (60)	5.5	3500	3 - 10	226 - 100	83
CDM5-22 (60)	5.5	3500	3 - 10	236 - 107	83
CDM5-23 (60)	5.5	3500	3 - 10	248 - 113	84
CDM10-1 (60)	0.75	3500	6 - 17	15.8 - 6.5	31
CDM10-2 (60)	1.5	3500	6 - 17	32 - 13.5	39
CDM10-3 (60)	2.2	3500	6 - 17	48 - 23	42
CDM10-4 (60)	3	3500	6 - 17	64 - 30.5	53
CDM10-5 (60)	4	3500	6 - 17	80 - 39	62
CDM10-6 (60)	4	3500	6 - 17	96.5 - 47.5	63
CDM10-7 (60)	5.5	3500	6 - 17	113 - 56	84
CDM10-8 (60)	5.5	3500	6 - 17	130 - 64.5	85
CDM10-9 (60)	7.5	3500	6 - 17	146 - 73	89
CDM10-10 (60)	7.5	3500	6 - 17	163 - 82	90
CDM10-11 (60)	7.5	3500	6 - 17	179 - 89	91
CDM10-12 (60)	7.5	3500	6 - 17	197 - 98	92
CDM10-13 (60)	11	3500	6 - 17	213 - 107	162
CDM10-14 (60)	11	3500	6 - 17	230 - 115	163
CDM10-15 (60)	11	3500	6 - 17	246 - 123	164
CDM15-1 (60)	1.5	3500	10 - 29	18 - 9.2	47
CDM15-2 (60)	3	3500	10 - 29	38 - 19.5	60
CDM15-3 (60)	4	3500	10 - 29	57 - 30	68
CDM15-4 (60)	5.5	3500	10 - 29	80 - 41	90



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM15-5 (60)	7.5	3500	10 - 29	100 - 52	94
CDM15-6 (60)	11	3500	10 - 29	120 - 63	175
CDM15-7 (60)	11	3500	10 - 29	141 - 74	177
CDM15-8 (60)	11	3500	10 - 29	161 - 86	178
CDM15-9 (60)	15	3500	10 - 29	183 - 97	180
CDM15-10 (60)	15	3500	10 - 29	203 - 108	181
CDM15-11 (60)	15	3500	10 - 29	222 - 119	182
CDM15-12 (60)	18.5	3500	10 - 29	239 - 131	192
CDM20-1 (60)	2.2	3500	13 - 35	19.5 - 10.7	47
CDM20-2 (60)	4	3500	13 - 35	40 - 21.5	65
CDM20-3 (60)	5.5	3500	13 - 35	60 - 33	87
CDM20-4 (60)	7.5	3500	13 - 35	80 - 44	91
CDM20-5 (60)	11	3500	13 - 35	100 - 56	158
CDM20-6 (60)	11	3500	13 - 35	121 - 70	160
CDM20-7 (60)	15	3500	13 - 35	141 - 84	176
CDM20-8 (60)	15	3500	13 - 35	163 - 96	177
CDM20-9 (60)	18.5	3500	13 - 35	183 - 108	187
CDM20-10 (60)	18.5	3500	13 - 35	203 - 119	188
CDM32-1-1 (60)	3	3500	20 - 48	24 - 7	78
CDM32-1 (60)	4	3500	20 - 48	33 - 14	84
CDM32-2-2 (60)	5.5	3500	20 - 48	46 - 17	99
CDM32-2 (60)	7.5	3500	20 - 48	56 - 27	107
CDM32-3-2 (60)	7.5	3500	20 - 48	73 - 31	110
CDM32-3 (60)	11	3500	20 - 48	85 - 40	178
CDM32-4-2 (60)	11	3500	20 - 48	102 - 45	181
CDM32-4 (60)	15	3500	20 - 48	114 - 55	196
CDM32-5-2 (60)	15	3500	20 - 48	131 - 59	199
CDM32-5 (60)	18.5	3500	20 - 48	141 - 69	207
CDM32-6-2 (60)	18.5	3500	20 - 48	159 - 74	209
CDM32-6 (60)	18.5	3500	20 - 48	170 - 81	209
CDM32-7-2 (60)	22	3500	20 - 48	185 - 86	265
CDM32-7 (60)	22	3500	20 - 48	197 - 97	265
CDM32-8-2 (60)	22	3500	20 - 48	211 - 102	268
CDM32-8 (60)	30	3500	20 - 48	222 - 111	329
CDM32-9-2 (60)	30	3500	20 - 48	238 - 117	332
CDM32-9 (60)	30	3500	20 - 48	250 - 127	332
CDM32-10-2 (60)	30	3500	20 - 48	270 - 133	335
CDM42-1-1 (60)	5.5	3500	30 - 65	31 - 16	109
CDM42-1 (60)	7.5	3500	30 - 65	39 - 22	118
CDM42-2-2 (60)	11	3500	30 - 65	60 - 33	189
CDM42-2 (60)	15	3500	30 - 65	74 - 44	204



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM42-3-2 (60)	18.5	3500	30 - 65	89 - 55	215
CDM42-3 (60)	18.5	3500	30 - 65	111 - 68	215
CDM42-4-2 (60)	22	3500	30 - 65	128 - 78	272
CDM42-4 (60)	30	3500	30 - 65	138 - 89	333
CDM42-5-2 (60)	30	3500	30 - 65	157 - 99	337
CDM42-5 (60)	30	3500	30 - 65	177 - 112	337
CDM42-6-2 (60)	37	3500	30 - 65	197 - 122	360
CDM42-6 (60)	37	3500	30 - 65	210 - 134	360
CDM42-7-2 (60)	45	3500	30 - 65	221 - 144	463
CDM42-7 (60)	45	3500	30 - 65	237 - 157	463
CDM65-1-1 (60)	7.5	3500	40 - 100	30 - 10	129
CDM65-1 (60)	11	3500	40 - 100	43 - 21	197
CDM65-2-2 (60)	15	3500	40 - 100	54 - 23	216
CDM65-2 (60)	22	3500	40 - 100	82 - 42	277
CDM65-3-2 (60)	22	3500	40 - 100	97 - 45	280
CDM65-3 (60)	30	3500	40 - 100	122 - 65	341
CDM65-4-2 (60)	37	3500	40 - 100	137 - 66	365
CDM65-4 (60)	45	3500	40 - 100	159 - 86	465
CDM65-5-2 (60)	45	3500	40 - 100	171 - 91	469
CDM85-1-1 (60)	11	3500	60 - 130	36 - 9	186
CDM85-1 (60)	15	3500	60 - 130	44 - 18	201
CDM85-2-2 (60)	18.5	3500	60 - 130	66 - 22	213
CDM85-2-1 (60)	22	3500	60 - 130	80 - 33	266
CDM85-2 (60)	30	3500	60 - 130	99 - 44	327
CDM85-3-2 (60)	37	3500	60 - 130	114 - 46	351
CDM85-3-1 (60)	37	3500	60 - 130	129 - 56	351
CDM85-3 (60)	45	3500	60 - 130	142 - 69	451
CDM85-4-2 (60)	45	3500	60 - 130	163 - 72	455
CDM120-1-1 (60)	15	3540	60 - 160	28 - 20	235
CDM120-1 (60)	18.5	3540	60 - 160	32 - 24.4	250
CDM120-2-2 (60)	30	3540	60 - 160	53 - 38.5	350
CDM120-2-1 (60)	30	3540	60 - 160	61.7 - 45	350
CDM120-2 (60)	37	3540	60 - 160	70.5 - 54.6	380
CDM120-3-2 (60)	45	3540	60 - 160	85 - 65	445
CDM120-3-1 (60)	45	3540	60 - 160	95 - 73.3	445
CDM120-3 (60)	55	3540	60 - 160	104 - 82.7	545
CDM120-4-2 (60)	75	3540	60 - 160	118.5 - 93	675
CDM120-4-1 (60)	75	3540	60 - 160	130 - 103	675
CDM120-4 (60)	75	3540	60 - 160	139 - 109.5	675
CDM120-5-2 (60)	75	3540	60 - 160	156 - 122	690
CDM150-1-1 (60)	15	3540	80 - 180	28 - 18	235



Model	kW	rpm	Flow (m3/h)	Head (m)	Weight kg
CDM150-1 (60)	22	3540	80 - 180	37 - 27	280
CDM150-2-2 (60)	30	3540	80 - 180	60 - 43	360
CDM150-2-1 (60)	37	3540	80 - 180	70 - 51	380
CDM150-2 (60)	45	3540	80 - 180	80 - 59	435
CDM150-3-2 (60)	55	3540	80 - 180	99 - 72.5	545
CDM150-3-1 (60)	75	3540	80 - 180	110 - 80	665
CDM150-3 (60)	75	3540	80 - 180	121 - 89.4	665
CDM150-4-2 (60)	75	3540	80 - 180	139 - 102.5	680
CDM200-1-B (60)	30	3540	100 - 240	40 - 29	348
CDM200-1-A (60)	37	3540	100 - 240	45 - 34.5	395
CDM200-1 (60)	45	3540	100 - 240	59 - 48.5	446
CDM200-2-2B (60)	55	3540	100 - 240	81.6 - 58.5	498
CDM200-2-2A (60)	75	3540	100 - 240	92 - 70	591
CDM200-2-B (60)	75	3540	100 - 240	101 - 79	710
CDM200-2-A (60)	90	3540	100 - 240	106 - 84	710
CDM200-2 (60)	90	3540	100 - 240	120 - 98.5	710
CDM200-3-2B (60)	110	3540	100 - 240	140 - 108.5	855
CDM200-3-A-B (60)	110	3540	100 - 240	145 - 113.5	855
CDM200-3-2A (60)	110	3540	100 - 240	152 - 120	855

Performance is for clean water at 20 C unless stated, as published in the CNP catalogue. The ranges show the first and last points of each performance curve. For a datasheet with the full curve and dimensions, open the model page.